


CX Grade

BMP5 monoclonal antibody (M01J), clone 2F12

Catalog # H00000653-M01J

Size 100 ug

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged BMP5 is approximately 0.1ng/ml as a capture antibody.

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant BMP5. This product is belong to Cell Culture Grade Antibody (CX Grade).

Immunogen

BMP5 (NP_066551.1, 341 a.a. ~ 440 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Sequence

VGDYNTSEQKQACKKHELYVSFRDLGWQDWIAPEGYAAFYCDGECFPLNAHMNATNHAIQTLVHLMFPDHVPKPCCAPTKLNAISVLYFDDSSNVIL

Host

Mouse

Reactivity

Human

Preparation Method

Cell Culture Production

Isotype

IgG2a Kappa

Quality Control Testing

Antibody Reactive Against Recombinant Protein.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged BMP5 is approximately 0.1ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — BMP5

Entrez GeneID	653
GeneBank Accession#	NM_021073.1
Protein Accession#	NP_066551.1
Gene Name	BMP5
Gene Alias	MGC34244
Gene Description	bone morphogenetic protein 5
Omim ID	112265
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. The superfamily includes large families of growth and differentiation factors. Bone morphogenetic proteins were originally identified by an ability of demineralized bone extract to induce endochondral osteogenesis in vivo in an extraskeletal site. These proteins are synthesized as prepropeptides, cleaved, and then processed into dimeric proteins. This protein may act as an important signaling molecule within the trabecular meshwork and optic nerve head, and may play a potential role in glaucoma pathogenesis. This gene is differentially regulated during the formation of various tumors. [provided by RefSeq]
Other Designations	OTTHUMP00000016650

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Hedgehog signaling pathway](#)

- [TGF-beta signaling pathway](#)

Disease

- [Congenital Abnormalities](#)
- [Genetic Predisposition to Disease](#)
- [Obesity](#)
- [Osteoarthritis](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)