

HuPro®

CD40LG (Human) Recombinant Protein

Catalog # H00000959-H02

Size 25 ug

Specification

Product Description	Purified CD40LG (AAH74950.1, 116 a.a. - 261 a.a.) human recombinant protein with His-Flag-Strep II tag at N-terminus expressed in human cells.
Transfected Cell Line	Human HEK293H cells
Sequence	GDQNPQIAAHVISEASSKTTSVLQWAEKGYTMSNNLVLENGKQLTVKRQGLYYIAQVTFCSNR EASSQAPFIASLCLKSPGRFERILLRAANTHSSAKPCGQQSIHLGGVFELQPGASVFNVTDPQS VSHGTGFTSFGLLKL
Host	Human
Theoretical MW (kDa)	21.34
Interspecies Antigen Sequence	Mouse (75); Rat (76)
Form	Liquid
Preparation Method	Transfection of pSuper-CD40LG plasmid into HEK293H cell, and the expressed protein was purified by <i>Strep</i> -Tactin affinity column.
Purification	<i>Strep</i> -Tactin affinity columns
Concentration	≥ 10 ug/ml
Storage Buffer	100 mM Tris-HCl pH 8.0, 150 mM NaCl, 1 mM EDTA, and 5 mM desthiobiotin.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Enzyme-linked Immunoabsorbent Assay

- SDS-PAGE
- Protein Interaction

Gene Info — CD40LG

Entrez GeneID	959
GeneBank Accession#	BC074950.2
Protein Accession#	AAH74950.1
Gene Name	CD40LG
Gene Alias	CD154, CD40L, HIGM1, IGM, IMD3, T-BAM, TNFSF5, TRAP, gp39, hCD40L
Gene Description	CD40 ligand
Omim ID	300386 308230
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is expressed on the surface of T cells. It regulates B cell function by engaging CD40 on the B cell surface. A defect in this gene results in an inability to undergo immunoglobulin class switch and is associated with hyper-IgM syndrome. [provided by RefSeq]
Other Designations	CD40 antigen ligand OTTHUMP00000024130 T-B cell-activating molecule TNF-related activation protein tumor necrosis factor (ligand) superfamily member 5

Pathway

- [Allograft rejection](#)
- [Asthma](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Cytokine-cytokine receptor interaction](#)
- [Primary immunodeficiency](#)
- [Systemic lupus erythematosus](#)

- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Coronary Stenosis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Disease Progression](#)
- [Drug Eruptions](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Immunologic Deficiency Syndromes](#)
- [Infant](#)
- [Lupus Erythematosus](#)
- [Malaria](#)
- [Metabolic Syndrome X](#)
- [Mucocutaneous Lymph Node Syndrome](#)

- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Pemphigus](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Renal Insufficiency](#)
- [Respiratory Syncytial Virus Infections](#)
- [Severe Combined Immunodeficiency](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Tuberculosis](#)
- [Werner syndrome](#)