


AAAS monoclonal antibody (M02), clone 5A1


Catalog # H00008086-M02 Size 100 ug

Applications



Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in Jurkat.




Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in NIH/3T3(Cat # L018V1).



Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in PC-12(Cat # L012V1).




Western Blot (Transfected lysate)

Western Blot analysis of AAAS expression in transfected 293T cell line by AAAS monoclonal antibody (M02), clone 5A1.

Lane 1: AAAS transfected lysate (Predicted MW: 59.6 KDa).


Lane 2: Non-transfected lysate.






Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunoperoxidase of monoclonal antibody to AAAS on formalin-fixed paraffinembedded human prostate. [antibody concentration 3 ug/ml]



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged AAAS is approximately 1ng/ml as a capture antibody.



Western Blot detection against Immunogen (36.74 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant AAAS.
lmmunogen	AAAS (NP_056480, 1 a.a. ~ 100 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	MCSLGLFPPPPRGQVTLYEHNNELVTGSSYESPPPDFRGQWINLPVLQLTKDPLKTPGRLDHGT RTAFIHHREQVWKRCINIWRDVGLFGVLNEIANSE
Host	Mouse
Reactivity	Human, Mouse, Rat
Interspecies Antigen Sequence	Mouse (95); Rat (94)
Isotype	lgG2a Kappa



Product Information

Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in Jurkat.

Protocol Download

Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in NIH/3T3(Cat # L018V1).

Protocol Download

Western Blot (Cell lysate)

AAAS monoclonal antibody (M02), clone 5A1. Western Blot analysis of AAAS expression in PC-12(Cat # L012V1).

Protocol Download

Western Blot (Transfected lysate)

Western Blot analysis of AAAS expression in transfected 293T cell line by AAAS monoclonal antibody (M02), clone 5A1.

Lane 1: AAAS transfected lysate (Predicted MW: 59.6 KDa).

Lane 2: Non-transfected lysate.

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to AAAS on formalin-fixed paraffin-embedded human prostate. [antibody concentration 3 ug/ml]

Protocol Download



• Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged AAAS is approximately 1ng/ml as a capture antibody.

Protocol Download

ELISA

Gene Info — AAAS	
Entrez GeneID	8086
GeneBank Accession#	NM_015665
Protein Accession#	NP_056480
Gene Name	AAAS
Gene Alias	AAA, AAASb, ADRACALA, ADRACALIN, ALADIN, DKFZp586G1624, GL003
Gene Description	achalasia, adrenocortical insufficiency, alacrimia (Allgrove, triple-A)
Omim ID	<u>231550</u> <u>605378</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	achalasia
Other Designations	-