


RecomAb™

# Histone H3 (monomethyl K18) monoclonal antibody, clone RM167

Catalog # MAB12779

Size 100 ug

## Applications



### Western Blot

Western blot analysis of Lane 1: recombinant Histone H3.3 and Lane 2: acid extracts of HeLa cell with Histone H3 (monomethyl K18) monoclonal antibody, clone RM167 (Cat # MAB12779) at 1 ug/mL working concentration, showed a band of Histone H3 monomethylated at Lysine 18.

**This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.**

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Histone H3 (monomethyl K18) monoclonal antibody, clone RM167 (Cat# MAB12779) specifically reacts to Histone H3 monomethylated at Lysine 18 (K18me1). No cross reactivity with nonmodified Lysine 18 (K18Ctrl) or dimethylated Lysine 18 (K18me2), or other methylations in histone H3.

## Specification

Product Description	Rabbit recombinant monoclonal antibody raised against of human histone H3 (monomethyl K18).
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic monomethyl peptide corresponding to residues surrounding K18 of human Histone H3.
Sequence	N/A

<b>Specificity</b>	This antibody reacts to Histone H3 monomethylated at Lysine 18. No cross reactivity with dimethylated Lysine 18 or trimethylated Lysine 18, or other methylations in histone H3.
<b>Form</b>	Liquid
<b>Purification</b>	Protein A purification
<b>Isotype</b>	IgG
<b>Recommend Usage</b>	ELISA (0.2 ug/mL-1 ug/mL) Western Blot (1 ug/mL-2 ug/mL) The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
<b>Storage Instruction</b>	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
<b>Note</b>	<p>This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.</p> <p>This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.</p> <p>Histone H3 (monomethyl K18) monoclonal antibody, clone RM167 (Cat# MAB12779) specifically reacts to Histone H3 monomethylated at Lysine 18 (K18me1). No cross reactivity with nonmodified Lysine 18 (K18Ctrl) or dimethylated Lysine 18 (K18me2), or other methylations in histone H3.</p>

## Applications

- Western Blot

Western blot analysis of Lane 1: recombinant Histone H3.3 and Lane 2: acid extracts of HeLa cell with Histone H3 (monomethyl K18) monoclonal antibody, clone RM167 (Cat # MAB12779) at 1 ug/mL working concentration, showed a band of Histone H3 monomethylated at Lysine 18.

- Enzyme-linked Immunoabsorbent Assay

## Gene Info — HIST1H3A

<b>Entrez GeneID</b>	<a href="#">8350</a>
<b>Protein Accession#</b>	<a href="#">P84243</a>
<b>Gene Name</b>	HIST1H3A
<b>Gene Alias</b>	H3/A, H3FA

Gene Description	histone cluster 1, H3a
Omim ID	<a href="#">602810</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	<p>Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq]</p>
Other Designations	H3 histone family, member A histone 1, H3a

## Pathway

- [Systemic lupus erythematosus](#)