

Bioactive

PPBP (Human) Recombinant Protein

Catalog # P3656

Size 10 ug

Specification

Product Description	Human PPBP (P02775, 59 a.a. - 128 a.a.) partial recombinant protein expressed in <i>Escherichia coli</i> .
Sequence	AELRCMCIKTTSGIHPKNIQSLEVIGKGTHCNQVEVIATLKDGRKICLDPDAPRIKKVQKKLAGDES AD
Host	Escherichia coli
Theoretical MW (kDa)	8
Form	Lyophilized
Preparation Method	<i>Escherichia coli</i> expression system
Purification	Ion exchange column and HPLC reverse phase column
Purity	> 90% by SDS-PAGE and HPLC
Endotoxin Level	< 0.1 ng/ug (1 EU/ug)
Activity	Determined by the ability to chemoattract human monocytes using a concentration range of 2.0-40.0 ng/mL.
Storage Buffer	Lyophilized from 20 mM PB, 100 mM NaCl, pH 7.5
Storage Instruction	Store at -20°C on dry atmosphere for 2 years. After reconstitution with deionized water, store at 4°C for 1 month or store at -20°C for 6 months. Aliquot to avoid repeated freezing and thawing.

Applications

- Functional Study
- SDS-PAGE

Gene Info — PPBP

Entrez GeneID	5473
Protein Accession#	P02775
Gene Name	PPBP
Gene Alias	B-TG1, Beta-TG, CTAP-III, CTAP3, CTAPIII, CXCL7, LA-PF4, LDGF, MDGF, NAP-2, PBP, SCYB7, TC1, TC2, TGB, TGB1, THBGB, THBGB1
Gene Description	pro-platelet basic protein (chemokine (C-X-C motif) ligand 7)
Omim ID	121010
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a platelet-derived growth factor that belongs to the CXC chemokine family. This growth factor is a potent chemoattractant and activator of neutrophils. It has been shown to stimulate various cellular processes including DNA synthesis, mitosis, glycolysis, intracellular cAMP accumulation, prostaglandin E2 secretion, and synthesis of hyaluronic acid and sulfated glycosaminoglycan. It also stimulates the formation and secretion of plasminogen activator by synovial cells. [provided by RefSeq]
Other Designations	CXC chemokine ligand 7 beta-thromboglobulin connective tissue-activating peptide III leukocyte-derived growth factor low-affinity platelet factor IV macrophage-derived growth factor neutrophil-activating peptide 2 neutrophil-activating peptide-2 platelet

Pathway

- [Chemokine signaling pathway](#)
- [Cytokine-cytokine receptor interaction](#)

Disease

- [Asthma](#)
- [Bronchiolitis](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)

- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Infant](#)
- [Respiratory Syncytial Virus Infections](#)