

ALDH6A1 polyclonal antibody


Catalog # PAB3127 Size 400 uL

Applications

T4	7D
130	
72	
55	••
36	
28	-
17	


Western Blot (Cell lysate)

Western blot analysis of ALDH6A1 polyclonal antibody (Cat # PAB3127) in T-47D cell line lysates (35 ug/lane). ALDH6A1 (arrow) was detected using the purified polyclonal antibody.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Formalin-fixed and paraffin-embedded human breast carcinoma tissue reacted with ALDH6A1 polyclonal antibody (Cat # PAB3127), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow Cytometry

Flow cytometric analysis of ATDC5 cells using ALDH6A1 polyclonal antibody (Cat # PAB3127)(bottom histogram) compared to a negative control cell (top histogram).

FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Specification

Product Description

Rabbit polyclonal antibody raised against synthetic peptide of ALDH6A1.



Product Information

Immunogen	A synthetic peptide (conjugated with KLH) corresponding to N-terminus of human ALDH6A1.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Protein A purification
Recommend Usage	Western Blot (1:1000) Immunohistochemistry (1:10-50) Flow cytometry (1:10-50) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of ALDH6A1 polyclonal antibody (Cat # PAB3127) in T-47D cell line lysates (35 ug/lane). ALDH6A1 (arrow) was detected using the purified polyclonal antibody.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human breast carcinoma tissue reacted with ALDH6A1 polyclonal antibody (Cat # PAB3127), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Flow Cytometry

Flow cytometric analysis of ATDC5 cells using ALDH6A1 polyclonal antibody (Cat # PAB3127)(bottom histogram) compared to a negative control cell (top histogram).

FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Gene Info — ALDH6A1

Entrez GenelD	4329
Protein Accession#	NP_005580;Q02252



Product Information

Gene Name	ALDH6A1
Gene Alias	MGC40271, MMSADHA, MMSDH
Gene Description	aldehyde dehydrogenase 6 family, member A1
Omim ID	603178
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This protein belongs to the aldehyde dehydrogenases family of proteins. This enzyme plays a role in the valine and pyrimidine catabolic pathways. The product of this gene, a mitochondrial methyl malonate semialdehyde dehydrogenase, catalyzes the irreversible oxidative decarboxylation of m alonate and methylmalonate semialdehydes to acetyl- and propionyl-CoA. Methylmalonate semial dehyde dehydrogenase deficiency is characterized by elevated beta-alanine, 3-hydroxypropionic acid, and both isomers of 3-amino and 3-hydroxyisobutyric acids in urine organic acids. [provided by RefSeq
Other Designations	aldehyde dehydrogenase 6A1 mitochondrial acylating methylmalonate-semialdehyde dehydrogen ase

Publication Reference

Assignment of the PAX6 gene to bovine chromosome 15q25--& amp;gt;q27 by fluorescence in situenty hybridization and confirmation by radiation hybrid mapping.

Kuiper H, Williams JL, Distl O, Drogemuller C.

Cytogenetic and Genome Research 2005 Sep; 109(4):533.

• The human plasma proteome: a nonredundant list developed by combination of four separate sources.

Anderson NL, Polanski M, Pieper R, Gatlin T, Tirumalai RS, Conrads TP, Veenstra TD, Adkins JN, Pounds JG, Fagan R, Lobley A.

Molecular & Cellular Proteomics 2004 Apr; 3(4):311.

• Molecular characterization of methylmalonate semialdehyde dehydrogenase deficiency.

Chambliss KL, Gray RG, Rylance G, Pollitt RJ, Gibson KM.

Journal of Inherited Metabolic Disease 2000 Jul; 23(5):497.

Pathway

Inositol phosphate metabolism



- Metabolic pathways
- Propanoate metabolism
- Valine

Disease

• Tobacco Use Disorder