


RecomAb™

CD44 recombinant monoclonal antibody, clone R08-5J6

Catalog # RAB01522 Size 100 uL

Applications



Western Blot

Western blot analysis of CD44 in HeLa lysates using human CD44 recombinant monoclonal antibody, clone R08-5J6 (Cat # RAB01522).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against synthetic peptide of human CD44.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human CD44
Theoretical MW (kDa)	Calculated MW: 82 kD
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1/100) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM Tris-Glycine, pH 7.4 (0.15 M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA)

Storage Instruction

Store at 4°C for short term. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of CD44 in Hela lysates using human CD44 recombinant monoclonal antibody, clone R08-5J6 (Cat # RAB01522).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Gene Info — CD44

Entrez GeneID[960](#)**Protein Accession#**[P16070](#)**Gene Name**

CD44

Gene Alias

CDW44, CSPG8, ECMR-III, HCELL, IN, LHR, MC56, MDU2, MDU3, MGC10468, MIC4, MUTCH-I, Pgp1

Gene Description

CD44 molecule (Indian blood group)

Omim ID[107269](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis. [provided by RefSeq]

Other Designations

CD44 antigen|CD44 antigen (homing function and Indian blood group system)|CDW44 antigen|G P90 lymphocyte homing/adhesion receptor|Hermes antigen|antigen gp90 homing receptor|cell adhesion molecule|cell surface glycoprotein CD44|chondroitin sulfate proteoglycan

Pathway

- [ECM-receptor interaction](#)
- [Hematopoietic cell lineage](#)

Disease

- [Arthritis](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Heart Defects](#)
- [Hepatitis B](#)
- [Kidney Failure](#)
- [Mouth Abnormalities](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Ovarian Neoplasms](#)