


CTNNB1 monoclonal antibody (M02), clone 1C9

Catalog # H00001499-M02

Size 100 ug

Applications




Western Blot (Transfected lysate)

Western Blot analysis of CTNNB1 expression in transfected 293T cell line by CTNNB1 monoclonal antibody (M02), clone 1C9.


Lane 1: CTNNB1 transfected lysate (85.5 kDa).

Lane 2: Non-transfected lysate.




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CTNNB1 is 0.1 ng/ml as a capture antibody.




RNAi Knockdown (Antibody validated)

Western blot analysis of CTNNB1 over-expressed 293 cell line, cotransfected with CTNNB1 Validated Chimera RNAi (Cat # H00001499-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with CTNNB1 monoclonal antibody (M02), clone 1C9 (Cat # H00001499-M02). GAPDH (36.1 kDa) used as specificity and loading control.




In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between GSK3B and CTNNB1. HeLa cells were stained with anti-GSK3B rabbit purified polyclonal 1:1200 and anti-CTNNB1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).




In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FLT1 and CTNNB1. Huh7 cells were stained with anti-FLT1 rabbit purified polyclonal 1:1200 and anti-CTNNB1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).




Immunofluorescence (Circulating Tumor Cell)

PC-3 MM2 cells were stained with CTNNB1-FITC labeled monoclonal antibody (Green). The cell nucleus were counterstained with DAPI (Blue).



Immunofluorescence

Immunofluorescence of monoclonal antibody to CTNNB1 on HeLa cell.
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant CTNNB1.
Immunogen	CTNNB1 (AAH58926, 682 a.a. ~ 781 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	LFRTEPMAWNETADLGLDIGAQGEPLGYRQDDPSYRSFHSGGYGQDALGMDPMMEHEMGGHH PGADYPVDGLPDLGHAQDLMDGLPPGDSNQLAWFDIDL
Host	Mouse
Reactivity	Human
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of CTNNB1 expression in transfected 293T cell line by CTNNB1 monoclonal antibody (M02), clone 1C9.

Lane 1: CTNNB1 transfected lysate(85.5 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CTNNB1 is 0.1 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- RNAi Knockdown (Antibody validated)

Western blot analysis of CTNNB1 over-expressed 293 cell line, cotransfected with CTNNB1 Validated Chimera RNAi (Cat # H00001499-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with CTNNB1 monoclonal antibody (M02), clone 1C9 (Cat # H00001499-M02). GAPDH (36.1 kDa) used as specificity and loading control.

[Protocol Download](#)

- *In situ* Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between GSK3B and CTNNB1. HeLa cells were stained with anti-GSK3B rabbit purified polyclonal 1:1200 and anti-CTNNB1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

- *In situ* Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FLT1 and CTNNB1. Huh7 cells were stained with anti-FLT1 rabbit purified polyclonal 1:1200 and anti-CTNNB1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

- Immunofluorescence (Circulating Tumor Cell)

PC-3 MM2 cells were stained with CTNNB1-FITC labeled monoclonal antibody (Green). The cell nucleus were counterstained with DAPI (Blue).

- Immunofluorescence

Immunofluorescence of monoclonal antibody to CTNNB1 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — CTNNB1

Entrez GeneID [1499](#)

GeneBank Accession# [NM_001904](#)

Protein Accession# [AAH58926](#)

Gene Name CTNNB1

Gene Alias CTNNB, DKFZp686D02253, FLJ25606, FLJ37923

Gene Description catenin (cadherin-associated protein), beta 1, 88kDa

Omim ID [114550](#) [116806](#) [132600](#) [155255](#)

Gene Ontology [Hyperlink](#)

Gene Summary

Beta-catenin is an adherens junction protein. Adherens junctions (AJs; also called the zonula adherens) are critical for the establishment and maintenance of epithelial layers, such as those lining organ surfaces. AJs mediate adhesion between cells, communicate a signal that neighboring cells are present, and anchor the actin cytoskeleton. In serving these roles, AJs regulate normal cell growth and behavior. At several stages of embryogenesis, wound healing, and tumor cell metastasis, cells form and leave epithelia. This process, which involves the disruption and reestablishment of epithelial cell-cell contacts, may be regulated by the disassembly and assembly of AJs. AJs may also function in the transmission of the 'contact inhibition' signal, which instructs cells to stop dividing once an epithelial sheet is complete.[supplied by OMIM]

Other Designations

OTTHUMP00000165222|OTTHUMP00000165223|catenin (cadherin-associated protein), beta 1 (88kD)|catenin beta-1

Pathway

- [Adherens junction](#)
- [Arrhythmogenic right ventricular cardiomyopathy \(ARVC\)](#)
- [Basal cell carcinoma](#)
- [Colorectal cancer](#)
- [Endometrial cancer](#)
- [Focal adhesion](#)
- [Leukocyte transendothelial migration](#)
- [Melanogenesis](#)
- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Thyroid cancer](#)
- [Tight junction](#)
- [Wnt signaling pathway](#)

Disease

- [Adenoma](#)

- [Adrenal Cortex Neoplasms](#)
- [Alzheimer disease](#)
- [Birth Weight](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cell Transformation](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Cognition](#)
- [Colon cancer](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Ependymoma](#)
- [Esophageal Neoplasms](#)
- [Fibroma](#)
- [Fibromatosis](#)
- [Fractures](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)

- [Head and Neck Neoplasms](#)
- [Kidney Failure](#)
- [Kidney Neoplasms](#)
- [Laryngeal Neoplasms](#)
- [Leukemia](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Microsatellite Instability](#)
- [Mouth Neoplasms](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Pharyngeal Neoplasms](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Recurrence](#)
- [Spinal Fractures](#)
- [Stomach Neoplasms](#)
- [Urinary Bladder Neoplasms](#)

- [Werner syndrome](#)
- [Wilms Tumor](#)