
ALK monoclonal antibody, clone ALK/1503

Catalog # MAB14536 Size 100 ug

Applications



Western Blot

Western Blot analysis of Lane 1: recombinant protein and Lane 2: HepG2 cell lysate with ALK monoclonal antibody, clone ALK/1503 (Cat # MAB14536).

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human ALK.
Immunogen	Recombinant protein corresponding to amino acids 1360-1460 of human ALK.
Host	Mouse
Theoretical MW (kDa)	80, 200
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10^6 cells) Immunofluorescence (0.5-1 ug/mL) Western Blotting (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunofluorescence
- Flow Cytometry
- Western Blot

  Western Blot analysis of Lane 1: recombinant protein and Lane 2: HepG2 cell lysate with ALK monoclonal antibody, clone ALK/1503 (Cat # MAB14536).

Gene Info — ALK

Entrez GeneID	238
Protein Accession#	Q9UM73
Gene Name	ALK
Gene Alias	CD246, Ki-1, TFG/ALK
Gene Description	anaplastic lymphoma receptor tyrosine kinase
Omim ID	105590
Gene Ontology	Hyperlink
Gene Summary	The 2;5 chromosomal translocation is frequently associated with anaplastic large cell lymphomas (ALCLs). The translocation creates a fusion gene consisting of the ALK (anaplastic lymphoma kin ase) gene and the nucleophosmin (NPM) gene: the 3' half of ALK, derived from chromosome 2, is fused to the 5' portion of NPM from chromosome 5. A recent study shows that the product of the N PM-ALK fusion gene is oncogenic. The deduced amino acid sequences reveal that ALK is a nov el receptor protein-tyrosine kinase having a putative transmembrane domain and an extracellular domain. These sequences are absent in the product of the transforming NPM-ALK gene. ALK sh ows the greatest sequence similarity to LTK (leukocyte tyrosine kinase). ALK plays an important r ole in the development of the brain and exerts its effects on specific neurons in the nervous syste m. [provided by RefSeq
Other Designations	ALK tyrosine kinase receptor|CD246 antigen|anaplastic lymphoma kinase (Ki-1)|anaplastic lymph oma kinase Ki-1

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Publication Reference

- Detection of anaplastic lymphoma kinase (ALK) and nucleolar protein nucleophosmin (NPM)-ALK proteins in normal and neoplastic cells with the monoclonal antibody ALK1.

  Pulford K, Lamant L, Morris SW, Butler LH, Wood KM, Stroud D, Delsol G, Mason DY.

  Blood 1997 Feb; 89(4):1394.

  Application: IHC-P, Human, Anaplastic large-cell lymphoma

Disease

- Adenocarcinoma
- Carcinoma
- Genetic Predisposition to Disease
- Kidney Failure
- Lung Neoplasms
- Multiple Sclerosis
- Schizophrenia
- Tobacco Use Disorder

Copyright © 2023 Abnova Corporation. All Rights Reserved.