RecomAb™

Mouse IgG monoclonal antibody, clone RM104 (Biotin)

Catalog # MAB14934 Size 50 ug

Applications



Enzyme-linked Immunoabsorbent Assay

ELISA analysis of Mouse IgG monoclonal antibody, clone RM104 (Cat # MAB12765) at the following concentrations: 0.2 ug/mL, 0.05 ug/mL, and 0.01 ug/mL. The plate was coated with 50 ng/well of different immunoglobulins and the result shows this antibody reacts to the Fc region of mouse IgG1, IgG2a, IgG2b, and IgG3; no cross reactivity with IgM, IgA, IgE, human or rat IgG. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.



Western Blot

Western blot analysis of nonreduced (-) and reduced (+) mouse immunoglobulins (20 ng/lane) with Mouse IgG monoclonal antibody, clone RM104 (Biotin) (Cat # MAB14934) at 0.2 ug/mL working concentration. This antibody reacts to nonreduced mouse IgG1, IgG2a, IgG2b, and IgG3. It showed no cross reactivity with IgM, IgA, or IgE.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against mouse IgG.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against mouse IgG.
Sequence	N/A
Reactivity	Mouse
Form	Liquid

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Conjugation	Biotin
Purification	Protein A purification
Isotype	IgG
Recommend Usage	ELISA (0.005-0.2 ug/mL) Flow Cytometry Immunocytochemistry (0.5-2 ug/mL) Immunohistochemistry (0.5-2 ug/mL) Immunoprecipitation Western Blotting (0.1-0.5 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry
- Immunocytochemistry
- Flow Cytometry
- Enzyme-linked Immunoabsorbent Assay

  ELISA analysis of Mouse IgG monoclonal antibody, clone RM104 (Cat # MAB12765) at the following concentrations: 0.2 ug/mL, 0.05 ug/mL, and 0.01 ug/mL. The plate was coated with 50 ng/well of different immunoglobulins and the result shows this antibody reacts to the Fc region of mouse IgG1, IgG2a, IgG2b, and IgG3; no cross reactivity with IgM, IgA, IgE, human or rat IgG. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.

- Immunoprecipitation
- Western Blot

  Western blot analysis of nonreduced (-) and reduced (+) mouse immunoglobulins (20 ng/lane) with Mouse IgG monoclonal antibody, clone RM104 (Biotin) (Cat # MAB14934) at 0.2 ug/mL working concentration. This antibody reacts to nonreduced mouse IgG1, IgG2a, IgG2b, and IgG3. It showed no cross reactivity with IgM, IgA, or IgE.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Info — Ighg1

Entrez GeneID	16017
Protein Accession#	P01868
Gene Name	Ighg1
Gene Alias	IgG1, Igh-4, VH7183
Gene Description	immunoglobulin heavy constant gamma 1 (G1m marker)
Gene Ontology	Hyperlink
Other Designations	-

Copyright © 2023 Abnova Corporation. All Rights Reserved.