
Bioactive CellTx™ HuPro®

IL15RA (Human) Recombinant Protein (Biotin)


Catalog # P10435 Size 100 ug

Applications



Enzyme-linked Immunoabsorbent Assay


Immobilized Human IL-15 at 2 ug/mL (100 uL/well) on the plate. Dose response curve for Biotinylated Human IL-15RA, His Tag with the EC_{50} of 55.8 ng/mL determined by ELISA.



Tris-Bis PAGE

Biotinylated Human IL15RA on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

Copyright © 2023 Abnova Corporation. All Rights Reserved.



SEC-HPLC

The purity of Biotinylated Human IL15RA is greater than 95% as determined by SEC-HPLC.

Specification

Product Description	Human IL15RA (Q13261-1, Ile31-Thr205) partial recombinant protein with His-Avi tag at the C-Terminus expressed in HEK293 cells.
Sequence	Ile31-Thr205
Host	Human
Theoretical MW (kDa)	21.3
Reactivity	Human
Form	Lyophilized
Conjugation	Biotin
Preparation Method	Mammalian cell (HEK293) expression system
Purity	> 95% by Tris-Bis PAGE > 95% by HPLC
Endotoxin Level	< 0.1 EU per 1 ug as determined by the LAL method.
Activity	The EC_{50} was 55.8 ng/mL, measured by ELISA at 2 ug/mL.
Recommend Usage	Biological Activity ELISA Tris-Bis PAGE SEC-HPLC The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 0.22 um filtered solution in PBS, pH 7.4. (8% trehalose).
Storage Instruction	Store at -20°C for 12 months. After reconstitution, store at 4°C for 2-7 days, or store at -80°C for 3-6 months. Aliquot to avoid repeated freezing and thawing.
Note	Please use within one month after protein reconstitution.

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Applications

- Functional Study

- Enzyme-linked Immunoabsorbent Assay

  Immobilized Human IL-15 at 2 ug/mL (100 uL/well) on the plate. Dose response curve for Biotinylated Human IL-15RA, His Tag with the EC_{50} of 55.8 ng/mL determined by ELISA.

Gene Info — IL15RA

Entrez GeneID	3601
Protein Accession#	Q13261-1
Gene Name	IL15RA
Gene Alias	MGC104179
Gene Description	interleukin 15 receptor, alpha
Omim ID	601070
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a cytokine receptor that specifically binds IL15 with high affinity. The receptors of IL15 and IL2 share two subunits, the IL2R beta and IL2R gamma chains. This forms the basis of many overlapping biological activities of IL15 and IL2. The IL2 receptor requires an additional IL2-specific alpha subunit for high affinity IL2 binding. This protein is structurally related to IL2R alpha, but is capable of binding IL15 with high affinity independent of other subunits, which suggests the distinct roles between IL15 and IL2. This receptor is reported to enhance cell proliferation and expression of apoptosis inhibitor BCL2L1/BCL2-XL and BCL2. Multiple alternatively spliced transcript variants of this gene have been reported. The full length sequences of only two variants encoding distinct isoforms are available. [provided by RefSeq
Other Designations	OTTHUMP00000019021|OTTHUMP00000019022

Pathway

- Cytokine-cytokine receptor interaction

- Jak-STAT signaling pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Disease

- Adenocarcinoma
- Alzheimer Disease
- Asthma
- Bronchiolitis
- Carcinoma
- Celiac Disease
- Esophageal Neoplasms
- Genetic Predisposition to Disease
- Hyperparathyroidism
- Infant
- Kidney Failure
- Lung Neoplasms
- Lymphoma
- Metabolic Syndrome X
- Obesity
- Pulmonary Disease
- Respiratory Syncytial Virus Infections
- Syndrome
- Urinary Bladder Neoplasms
- Werner syndrome

Copyright © 2023 Abnova Corporation. All Rights Reserved.