Rabbit Anti-Dog IgG (H&L) secondary antibody (Rhodamine)

Catalog # PAB10534 Size 2 mg

Specification

Product Description	Rabbit anti-dog IgG recognizes dog IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Rhodamine.
Immunogen	Dog IgG whole molecule
Host	Rabbit
Reactivity	Dog
Form	Lyophilized
Conjugation	Rhodamine (TRITC)
Purification	This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities.
Conjugation Note	2.1 moles TRITC per mole of rabbit IgG
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 20 mM KH_2PO_4, 150 mM NaCl, pH 7.2 (0.01% sodium azide)
Storage Instruction	Store at 4°C on dry atmosphere. After reconstitution with 1 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunofluorescence
- Flow Cytometry

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Publication Reference

- Texas Red, a hydrophilic, red-emitting fluorophore for use with fluorescein in dual parameter flow microfluorometric and fluorescence microscopic studies.

  J A Titus, R Haugland, S O Sharrow, D M Segal.

  Journal of Immunological Methods 1982 Apr; 50(2):193.

Copyright © 2023 Abnova Corporation. All Rights Reserved.