
# PRKCQ (phospho S695) polyclonal antibody

Catalog # PAB25395 Size 100 ug

## Applications




### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human lung carcinoma tissue, using PRKCQ (phospho S695) polyclonal antibody (Cat # PAB25395).

## Specification

| | |
|---|---|
| **Product Description** | Rabbit polyclonal antibody raised against synthetic phosphopeptide of PRKCQ. |
| **Immunogen** | Synthetic phosphopeptide corresponding to residues surrounding S695 of human PRKCQ. |
| **Sequence** | N-F-Sp-F-M |
| **Host** | Rabbit |
| **Reactivity** | Human, Mouse, Rat |
| **Form** | Liquid |
| **Purification** | Affinity purification |
| **Recommend Usage** | Immunohistochemistry (1:50-1:100)<br>The optimal working dilution should be determined by the end user. |
| **Storage Buffer** | In PBS (without $Mg^{2+}$ and $Ca^{2+}$), 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide) |
| **Storage Instruction** | Store at -20°C.<br>Aliquot to avoid repeated freezing and thawing. |

Copyright © 2023 Abnova Corporation. All Rights Reserved.

| | |
|---|---|
| **Note** | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

## Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  Immunohistochemical analysis of paraffin-embedded human lung carcinoma tissue, using PRKCQ (phospho S695) polyclonal antibody (Cat # PAB25395).

## Gene Info — PRKCQ

| | |
|---|---|
| **Entrez GeneID** | 5588 |
| **Protein Accession#** | Q04759 |
| **Gene Name** | PRKCQ |
| **Gene Alias** | MGC126514, MGC141919, PRKCT, nPKC-theta |
| **Gene Description** | protein kinase C, theta |
| **Omim ID** | 600448 |
| **Gene Ontology** | Hyperlink |
| **Gene Summary** | Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be a ctivated by calcium and the second messenger diacylglycerol. PKC family members phosphorylat e a wide variety of protein targets and are known to be involved in diverse cellular signaling pathw ays. PKC family members also serve as major receptors for phorbol esters, a class of tumor pro moters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members. It is a calciu m-independent and phospholipid-dependent protein kinase. This kinase is important for T-cell act ivation. It is required for the activation of the transcription factors NF-kappaB and AP-1, and may li nk the T cell receptor (TCR) signaling complex to the activation of the transcription factors. [provid ed by RefSeq |
| **Other Designations** | OTTHUMP00000019053\|OTTHUMP00000043364\|OTTHUMP00000043365 |

## Pathway

- Adipocytokine signaling pathway
- T cell receptor signaling pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Tight junction
- Vascular smooth muscle contraction

## Disease

- Alzheimer Disease
- Arthritis
- Carcinoma
- Cardiovascular Diseases
- Celiac Disease
- Cerebral Hemorrhage
- Diabetes Mellitus
- Disease Progression
- Edema
- Genetic Predisposition to Disease
- Hypertension
- Inflammation
- Intracranial Hemorrhages
- Kidney Failure
- Narcolepsy
- Prostatic Neoplasms
- Stroke
- Subarachnoid Hemorrhage
- Tobacco Use Disorder
- Wegener Granulomatosis

Copyright © 2023 Abnova Corporation. All Rights Reserved.