
Sm Size

GLI2/CEN2p FISH Probe


Catalog # FG0126 Size 200 uL, 100 uL

Applications



Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

human breast cancer (FFPE) stained with GLI2/CEN2p FISH Probe . human breast cancer showed GLI2 amplification.



Hybridization position of the probes on the chromosome.

Hybridization position of the probes on the chromosome.

Specification

Product Description	Labeled FISH probes for identification of gene amplification using Fluorescent In Situ Hybridization T echnique. (Technology).

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Probe 1	**Name:** GLI2 **Size:** Approximately 510kb **Fluorophore:** Texas Red **Location:** 2q14.2
Probe 2	**Name:** CEN2p **Size:** Approximately 670kb **Fluorophore:** FITC **Location:** 2p11.2
Probe Gap	The gap between two probes is approximately 35,400 kb
Origin	Human
Source	Genomic DNA
Reactivity	Human
Form	Liquid
Notice	We **strongly recommend** the customer to use FFPE FISH PreTreatment Kit 1 (Catalog #: KA2375 or KA2691) for the pretreatment of Formalin-Fixed Paraffin-Embedded (FFPE) tissue sections.
Regulation Status	For research use only (RUO)
Quality Control Testing	Representative images of normal human cell (lymphocyte) stain with the dual color FISH probe. The l eft image is chromosomes at metaphase, and the right image is an interphase nucleus.
Supplied Products	DAPI Counterstain (1500 ng/mL) 125 uL for each 100 uL FISH Probe
Storage Instruction	Store at 4°C in the dark.
Note	Hybridization position of the probes on the chromosome. Hybridization position of the probes on the chromosome.
Self-Attestation	Abnova self-attests to comply with the U.S. Framework for Nucleic Acid Synthesis Screening

Applications

- Fluorescent *In Situ* Hybridization (Formalin/PFA-fixed paraffin-embedded sections)

  human breast cancer (FFPE) stained with GLI2/CEN2p FISH Probe . human breast cancer showed GLI2 amplification.

  Protocol Download

- Fluorescent In Situ Hybridization (Cell)

  Protocol Download

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Info — GLI2

Entrez GeneID	2736
Gene Name	GLI2
Gene Alias	HPE9, THP1, THP2
Gene Description	GLI-Kruppel family member GLI2
Omim ID	165230 610829
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a protein which belongs to the C2H2-type zinc finger protein subclass of the G li family. Members of this subclass are characterized as transcription factors which bind DNA thro ugh zinc finger motifs. These motifs contain conserved H-C links. Gli family zinc finger proteins ar e mediators of Sonic hedgehog (Shh) signaling and they are implicated as potent oncogenes in t he embryonal carcinoma cell. The protein encoded by this gene localizes to the cytoplasm and act ivates patched Drosophila homolog (PTCH) gene expression. It is also thought to play a role durin g embryogenesis. The encoded protein is associated with several phenotypes- Greig cephalopol ysyndactyly syndrome, Pallister-Hall syndrome, preaxial polydactyly type IV, postaxial polydactyly t ypes A1 and B. [provided by RefSeq
Other Designations	oncogene GLI2|tax helper protein 1|tax helper protein 2|tax-responsive element-2 holding protein|t ax-responsive element-25-bp sequence binding protein|zinc finger protein GLI2

Pathway

- Basal cell carcinoma
- Hedgehog signaling pathway
- Pathways in cancer

Disease

- Carcinoma
- Cleft Lip
- Cleft Palate
- Genetic Predisposition to Disease
- Head and Neck Neoplasms

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Kidney Failure
- Neoplasms
- Recurrence
- Tobacco Use Disorder

Copyright © 2023 Abnova Corporation. All Rights Reserved.