
ACADM polyclonal antibody


Catalog # PAB6264 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

ACADM polyclonal antibody (Cat # PAB6264) (3.8 ug/mL) staining of paraffin embedded human liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Western Blot (Tissue lysate)

ACADM polyclonal antibody (Cat # PAB6264) staining (0.05 ug/mL) of human heart lysate (RIPA buffer, 35 ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

Specification

Product Description	Goat polyclonal antibody raised against synthetic peptide of ACADM.
Immunogen	A synthetic peptide corresponding to human ACADM.
Sequence	C-RLIVAREHIDKYKN
Host	Goat
Theoretical MW (kDa)	46.6, 47.0
Reactivity	Human
Form	Liquid

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.
Recommend Usage	ELISA (1:32000) Western blot (0.01-0.1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (3-5 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  ACADM polyclonal antibody (Cat # PAB6264) (3.8 ug/mL) staining of paraffin embedded human liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

- Enzyme-linked Immunoabsorbent Assay

- Western Blot (Tissue lysate)

  ACADM polyclonal antibody (Cat # PAB6264) staining (0.05 ug/mL) of human heart lysate (RIPA buffer, 35 ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

Gene Info — ACADM

Entrez GeneID	34
Protein Accession#	NP_000007.1
Gene Name	ACADM
Gene Alias	ACAD1, FLJ18227, FLJ93013, FLJ99884, MCAD, MCADH
Gene Description	acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain
Omim ID	201450 607008

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Ontology	Hyperlink
Gene Summary	This gene encodes the medium-chain specific (C4 to C12 straight chain) acyl-Coenzyme A dehydrogenase. The homotetramer enzyme catalyzes the initial step of the mitochondrial fatty acid beta-oxidation pathway. Defects in this gene cause medium-chain acyl-CoA dehydrogenase deficiency, a disease characterized by hepatic dysfunction, fasting hypoglycemia, and encephalopathy, which can result in infantile death. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations	OTTHUMP00000011345|medium-chain specific acyl-CoA dehydrogenase

Publication Reference

- Suppression of oxidative metabolism and mitochondrial biogenesis by the transcriptional corepressor RIP140 in mouse adipocytes.

  Powelka AM, Seth A, Virbasius JV, Kiskinis E, Nicoloro SM, Guilherme A, Tang X, Straubhaar J, Cherniack AD, Parker MG, Czech MP.

  The Journal of Clinical Investigation 2005 Dec; 16(1):125.

Pathway

- beta-Alanine metabolism
- Fatty acid metabolism
- Metabolic pathways
- PPAR signaling pathway
- Propanoate metabolism
- Valine

Disease

- Cardiovascular Diseases
- Death
- Deficiency Diseases
- Diabetes Mellitus

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Edema
- Epilepsy
- Genetic Predisposition to Disease
- Hypoglycemia
- Lipid Metabolism
- Metabolism
- Seizures
- Sleep Stages

Copyright © 2023 Abnova Corporation. All Rights Reserved.