
Human DLL3 Overexpression CHO-K1 Cell Line

Catalog # U1318 Size

Applications



Flow Cytometry

Recombinant DLL3 CHO constitutively expressing DLL3.

Specification

Product Description	CHO-K1 cell line expressing human DLL3.
Package	>1x10^6 per vial in 1 mL
Transfected Cell Line	CHO-K1
Immunogen	DLL3
Host	Hamster
Reactivity	Hamster
Form	Liquid
Recommend Usage	Flow Cytometry

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Growth Properties	Adherent
Selection Marker	puromycin
Culture Medium	F12K + 10%FBS + 5 ug/mL puromycin
Storage Buffer	90% FBS+10% DMSO
Storage Instruction	Store in liquid nitrogen immediately upon receipt. Aliquot to avoid repeated freezing and thawing.
Note	FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES OR THERAPEUTIC APPLICATIONS.

Applications

- Flow Cytometry

  Recombinant DLL3 CHO constitutively expressing DLL3.

Gene Info — DLL3

Entrez GeneID	10683
Protein Accession#	Q9NYJ7
Gene Name	DLL3
Gene Alias	SCDO1
Gene Description	delta-like 3 (Drosophila)
Omim ID	277300 602768
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the delta protein ligand family. This family functions as Notch ligands that are characterized by a DSL domain, EGF repeats, and a transmembrane domain. Mutations in this gene cause autosomal recessive spondylocostal dysostosis 1. Two transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq
Other Designations	delta-like 3 protein

Pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.

- Notch signaling pathway

Copyright © 2023 Abnova Corporation. All Rights Reserved.