
RecomAb™ Sm Size

SOX2 recombinant monoclonal antibody, clone 2E1

Catalog # RAB08390 Size 50 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human brain tissue using SOX2 recombinant monoclonal antibody on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

Western Blot

Western blot analysis of U-251 whole cell lysate, MCF-7 whole cell lysate, Mouse Brain whole cell lysate, Rat Brain whole cell lysate with SOX2 recombinant monoclonal antibody.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human SOX2.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to human SOX2.
Theoretical MW (kDa)	Calculated MW: 35
Reactivity	Human, Mouse, Rat

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Form	Liquid
Preparation Method	Mammalian cell (HEK293) expression system
Purification	Affinity chromatography purification
Isotype	IgG
Recommend Usage	ELISA Immunohistochemistry (1:50-1:200) Western Blot (1:500-1:5000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH7.4 (150 mM NaCl, 0.02% sodium azide and 50% glycerol)
Storage Instruction	Store at -20°C or -80°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

  Immunohistochemical analysis of paraffin-embedded human brain tissue using SOX2 recombinant monoclonal antibody on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

- Enzyme-linked Immunoabsorbent Assay

- Western Blot

  Western blot analysis of U-251 whole cell lysate, MCF-7 whole cell lysate, Mouse Brain whole cell lysate, Rat Brain whole cell lysate with SOX2 recombinant monoclonal antibody.

Gene Info — SOX2

Entrez GeneID	6657
Protein Accession#	P48431
Gene Name	SOX2
Gene Alias	ANOP3, MCOPS3, MGC2413

Copyright © 2023 Abnova Corporation. All Rights Reserved.

Gene Description	SRY (sex determining region Y)-box 2
Omim ID	184429 206900
Gene Ontology	Hyperlink
Gene Summary	This intronless gene encodes a member of the SRY-related HMG-box (SOX) family of transcription factors involved in the regulation of embryonic development and in the determination of cell fate. The product of this gene is required for stem-cell maintenance in the central nervous system, and also regulates gene expression in the stomach. Mutations in this gene have been associated with optic nerve hypoplasia and with syndromic microphthalmia, a severe form of structural eye malformation. This gene lies within an intron of another gene called SOX2 overlapping transcript (SOX2 OT). [provided by RefSeq
Other Designations	SRY-related HMG-box gene 2|sex-determining region Y-box 2|transcription factor SOX2

Disease

- Anophthalmos
- Coloboma
- Diabetes Mellitus
- Diabetic Nephropathies
- Genetic Predisposition to Disease
- Kidney Failure
- Microphthalmos
- Myopia

Copyright © 2023 Abnova Corporation. All Rights Reserved.