

DNA Marker Low

Catalog # D0001 Size

Applications



Specification	
Product Description	DNA Marker Low is useful for the determination of DNA fragments 50 bp to 1,000 bp in size. The DN A size marker consists of 10 double-stranded, blunt-end DNA fragments. The DNA bands close to e ach other, 550 bp and 500 bp, 120 bp and 100 bp, are for reference indicators. These DNA fragmen ts were fixed amounts in the solution of DNA Marker Low, which makes it possible to estimate the a mount of DNA. The DNA Marker Low is supplied in a ready-to-use mixture containing 8 mM EDTA, 8 % glycerol, 0.015 % bromphenol blue and 10 mM Tris-HCI (pH8.0).
Quality Control Testing	DNA Marker Low is useful for determination of DNA fragments 50 bp to 1,000 bp in size. The DNA si ze marker consists of 10 double-stranded, blunt-end DNA fragments.
Recommended Loading	5 to 10 uL/lane
Recommend Usage	DNA sample: 5 uL 6 X BPB loading dye: 1 uL (addition of 1/5 volume of DNA sample) Mix and load to a well
Supplied Product	6 x BPB loading dye (EDTA, glycerol and bromphenol blue are contained)
Storage Instruction	Store at 20-25°C. For long term storage, store at -20°C.

Copyright © 2023 Abnova Corporation. All Rights Reserved.



Applications

- Polymerase Chain Reaction
- Electrophoresis