


CSE1L monoclonal antibody (M05), clone 3F8

Catalog # H00001434-M05


Size 100 ug

Applications




Western Blot (Cell lysate)

CSE1L monoclonal antibody (M05), clone 3F8 Western Blot analysis of CSE1L expression in K-562 (Cat # L009V1).




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to CSE1L on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3 ug/ml]




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CSE1L is approximately 0.1ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to CSE1L on HeLa cell. [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (36.74 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant CSE1L.
Immunogen	CSE1L (NP_001307, 872 a.a. ~ 971 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	LIGLFELPEDDTIPDEEHFIDIEDTPGYQTAFSQLAFAGKKEHDPVGQMVNNPKIHLAQLHLKLTACPGRVPSMVSTSLNAEALQYLQGYLQAARVTLL
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (98); Rat (92)
Isotype	IgG1 kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.74 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

CSE1L monoclonal antibody (M05), clone 3F8 Western Blot analysis of CSE1L expression in K-562 (Cat # L009V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to CSE1L on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged CSE1L is approximately 0.1ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- Immunofluorescence

Immunofluorescence of monoclonal antibody to CSE1L on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — CSE1L

Entrez GeneID	1434
---------------	----------------------

GeneBank Accession#	NM_001316
---------------------	---------------------------

Protein Accession#	NP_001307
--------------------	---------------------------

Gene Name	CSE1L
-----------	-------

Gene Alias	CAS, CSE1, MGC117283, MGC130036, MGC130037, XPO2
------------	--

Gene Description	CSE1 chromosome segregation 1-like (yeast)
------------------	--

Omim ID	601342
---------	------------------------

Gene Ontology

[Hyperlink](#)**Gene Summary**

Proteins that carry a nuclear localization signal (NLS) are transported into the nucleus by the importin-alpha/beta heterodimer. Importin-alpha binds the NLS, while importin-beta mediates translocation through the nuclear pore complex. After translocation, RanGTP binds importin-beta and displaces importin-alpha. Importin-alpha must then be returned to the cytoplasm, leaving the NLS protein behind. The protein encoded by this gene binds strongly to NLS-free importin-alpha, and this binding is released in the cytoplasm by the combined action of RANBP1 and RANGAP1. In addition, the encoded protein may play a role both in apoptosis and in cell proliferation. [provided by RefSeq]

Other Designations

CSE1 chromosome segregation 1-like protein|OTTHUMP00000043373|cellular apoptosis susceptibility protein|chromosome segregation 1-like|importin-alpha re-exporter